Safety Data Sheet

SDS Number: 20032 **Issue Date:** 06/01/15 **Reviewed:** 06/01/15

SECTION 1 PRODUCT IDENTIFICATION

GHS product Identifier: Pride Plus Premium AW32 Hydraulic Oil

Synonyms: Hydraulic Oil

SUPPLIER/ ADDRESS: Hutchens Petroleum Corporation

22 Performance Drive Stuart, VA 24171

CHEMTREC - (800) 424-9300 General Assistance Number: (914) 381 5800

SECTION 2 HAZARDS IDENTIFICATION

OSHA/HCS status: While this material is not considered hazardous by the OSHA Hazard Communication

Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available

for employees and other users of this product.

Classification of the

substance or mixture:

Not classified.

GHS label elements

Signal Word: No signal word.

Hazard statements: No known significant effects or critical hazards.

Precautionary statements

General: Avoid contact with eyes, skin and clothing. May be harmful if swallowed. IF IN EYES:

Rinse cautiously with water for several minutes. If swallowed, do not induce vomiting. After handling, always wash hands thoroughly with soap and water. If you feel unwell, seek medical attention and show the label when possible. Keep out of reach of children.

Prevention: Not applicable. Response: Not applicable.

Storage: Store in a dry place and/or in closed container. Store in accordance with all local,

regional, national and international regulations.

Disposal: Dispose of contents and container in accordance with all local, regional, national and

international regulations.

Hazards not otherwise

classified

None known

SECTION 3 Composition/Information on Ingredients

Components	CAS Number	Amount	
Highly refined mineral oil	Mixture	95 – 99 %weight	
Petroleum Additives	Mixture	0.50-1.0 %weight	

Any concentration shown as a range is to protect confidentiality or is due to process variation.

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations

applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4 FIRST AID MEASURES

Description of necessary first aid measures

Eye contact: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower

eyelids. Check for and remove any contact lenses. Get medical attention if irritation

occurs.

Flush contaminated skin with plenty of water. Remove contaminated clothing and

shoes. Get medical attention if symptoms occur.

Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get

medical attention if symptoms occur

Skin contact: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes.

Get medical attention if symptoms occur.

Ingestion: Wash out mouth with water. Remove victim to fresh air and keep at rest in a position

comfortable for breathing. Do not induce vomiting unless directed to do so by medical

personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute

Potential acute health effects

Inhalation:
Ingestion:
Skin contact:
No known significant effects or critical hazards.

Over-exposure signs/symptoms

Inhalation:
Ingestion:
Skin contact:
Eye contact:
No specific data
No specific data
No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician: Treat symptomatically. Contact poison treatment specialist immediately if large

quantities have been ingested or inhaled.

Specific treatments: Treat symptomatically and supportively.

Protection of first-aiders: No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 13)

SECTION 5 FIRE FIGHTING MEASURES

Specific hazards arising: In a fire or if heated, a pressure increase will occur and the container may burst.

Use an extinguishing agent suitable for the surrounding fire

from the chemical

Extinguishing media

Suitable extinguishing Unsuitable extinguishing

None known

Onsultable extingu

media

SECTION 5 FIRE FIGHTING MEASURES

Hazardous thermal Decomposition products may include the following materials:

decomposition products carbon dioxide carbon monoxide sulfur oxides

phosphorus oxides metal oxide/oxides

Special protective actions: Promptly isolate the scene by removing all persons from the vicinity of the incident if for fire-fighters

there is a fire. No action shall be taken involving any personal risk or without suitable training.

personnel

Special protective Fire-fighters should wear appropriate protective equipment and self-contained breathing

equipment for fire-fighters apparatus (SCBA) with a full face-piece operated in positive pressure mode

ACCIDENTAL RELEASE MEASURES SECTION 6

Personal precautions, protective equipment and emergency procedures

No action shall be taken involving any personal risk or without suitable training. For non-emergency

Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal

protective equipment

If specialized clothing is required to deal with the spillage, take note of any For emergency responders:

in Section 8 on suitable and unsuitable materials. See also the information in "For

non-emergency personnel".

Environmental precautions: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains

and sewers. Inform the relevant authorities if the product has caused environmental

pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up:

Small spill: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up

if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste

disposal contractor.

Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, Large spill:

water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact

information and Section 13 for waste disposal

SECTION 7 HANDLING AND STORAGE

Precautions for safe handling:

Protective measures Advice on general occupational hygiene Put on appropriate personal protective equipment (see Section 8).

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene

measures.

Conditions for safe storage,

including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate

SECTION 7

HANDLING AND STORAGE

Bulk Storage Conditions: Maintain all storage tanks in accordance with applicable regulations. Use necessary controls to monitor tank inventories. Inspect all storage tanks on a periodic basis. Test tanks and associated piping for tightness. Maintain the automatic leak detection devices to assure proper working condition.

SECTION 8

EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Occupational exposure limits

None identified.

Appropriate engineering:

Controls

Good general ventilation should be sufficient to control worker exposure to airborne

contaminants.

Environmental exposure controls:

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, vapor controls, filters or engineering modifications to the process equipment will

be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures Wash hands, forearms and face thoroughly after handling chemical products, before

> eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety

showers are close to the workstation location.

Eye/face protection Safety glasses equipped with side shields are recommended as minimum protection in

industrial settings. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: Splash goggles. Safety

evewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts.

If inhalation hazards exist, a full-face respirator may be required.

Skin protection

Hand protection: Chemical-resistant gloves complying with an approved standard should be worn at all

times when handling chemical products if a risk assessment indicates this is necessary **Body protection:**

Personal protective equipment for the body should be selected based on the task being

performed and the risks involved and should be approved by a specialist before

handling this product.

Appropriate footwear and any additional skin protection measures should be selected Other skin protection:

based on the task being performed and the risks involved and should be approved by a

specialist before handling this product.

Use a properly fitted, air-purifying or supplied-air respirator complying with an approved Respiratory protection:

standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe

working limits of the selected respirator.

SECTION 9

PHYSICAL AND CHEMICAL PROPERTIES

Physical State Liquid Color Amber

Flash Point 200 Deg C, 392 Deg F (min)

Upper Flammable Limit Not determined. Lower Flammable Limit Not determined. Vapor density >1 { Air = 1}. **Specific Gravity** 0.86 (15.6 Deg C)

Water Solubility Insoluble. Odor Mild

Viscosity Kinematic (100C) 6.0 cSt -7.0 cSt **Boiling Point** 289 Deg C, 552 Deg F (Initial)

Pour Point Temperature <-38C **SECTION 10 REACTIVITY AND STABILITY**

Not expected to be Explosive, Self-Reactive, Self-Heating, or an Organic Peroxide Reactivity

under US GHS Definition(s).

Chemical stability

The product is stable.

Possibility of hazardous

Under normal conditions of storage and use, hazardous reactions will not occur

reactions:. Conditions to avoid

No specific data . No specific data.

Incompatible materials **Hazardous decomposition**

Under normal conditions of storage and use, hazardous decomposition products should

Products not be produced.

SECTION 11 TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute toxicity
Conclusion/Summary

Distillates (petroleum), hydrotreated heavy paraffinic: Mineral oil mists derived from highly refined oils are reported to have low acute and sub-acute toxicities in animals. Effects from single and short-term repeated exposures to high concentrations of mineral oil mists well above applicable workplace exposure levels include lung inflammatory reaction, lipoid granuloma formation and lipoid pneumonia. In acute and sub-acute studies involving exposures to lower concentrations of mineral oil mists at or near current work place exposure levels produced no significant toxicological effects. Distillates (petroleum), solvent-dewaxed heavy paraffinic: Mineral oil mists derived from highly refined oils are reported to have low acute and sub-acute toxicities in animals. Effects from single and short-term repeated exposures to high concentrations of mineral oil mists well above applicable workplace exposure levels include lung inflammatory reaction, lipoid granuloma formation and lipoid pneumonia. In acute and sub-acute studies involving exposures to lower concentrations of mineral oil mists at or near current work place exposure levels produced no significant toxicological effects.

Irritation/Corrosion

Skin No additional information **Eyes** No additional information No additional information Respiratory

Sensitization

No additional information Skin Respiratory No additional information **Mutagenicity**

Conclusion/Summary No additional information

Carcinogenicity

Conclusion/Summary No additional information

Teratogenicity

Conclusion/Summary No additional information

Information on the likely Routes of entry anticipated: Dermal.

routes of exposure

Potential acute health effects

Eye contact No known significant effects or critical hazards No known significant effects or critical hazards. Inhalation Ingestion No known significant effects or critical hazards. Skin contact No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

No known significant effects or critical hazards. **Eve contact** Inhalation No known significant effects or critical hazards. Ingestion No known significant effects or critical hazards. Skin contact No known significant effects or critical hazards

Potential chronic health effects

General No known significant effects or critical hazards. Carcinogenicity No known significant effects or critical hazards. Mutagenicity No known significant effects or critical hazards. **Teratogenicity** No known significant effects or critical hazards.

Developmental effectsNo known significant effects or critical hazards. **Fertility effects**No known significant effects or critical hazards.

SECTION 12 ECOLOGICAL INFORMATION

Toxicity

Conclusion/Summary Not available

Persistence and degradability

Conclusion/Summary Not available.

Bioaccumulative

Potential Not available

Mobility in soil Soil/water partition

coefficient (KOC) Not available

Other adverse effects No known significant effects or critical hazards.

SECTION 13

DISPOSAL CONSIDERATIONS

Disposal methods

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

ı	SECTION 14	Т			
•		DOT Classification	IMDG	IAT A	
	<u>UN number</u>	not regulated	not regulated	not regulated	
	UN proper	_	_	_	
	shipping name				
	transport				
	Hazard class				
	Environmental				
	Hazards				

Special precautions for user: Transport within user's premises: always transport in closed containers that are

upright and secure. Ensure that persons transporting the product know what to do in the

event of accident or spillage.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code:

Not available.

SECTION 15

REGULATORY INFORMATION

U.S. Federal regulations

United States inventory (TSCA 8b): All components are listed or exempted. Clean Water Act (CWA) 307: zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl) bis

(phosphorodithioate); Zinc alkyl dithiophosphate Clean Water Act (CWA) 311: vinyl acetate

This material is classified as an oil under Section 311 of the Clean Water Act (CWA) and the Oil Pollution Act of 1990 (OPA). Discharges or spills which produce a visible sheen on waters of the United States, their adjoining shorelines, or into conduits leading to surface waters must be reported to the EPA's National Response Center at (800) 424-8802.

Composition/information on ingredients

			SARA 302 TPQ	SARA 304 RQ
Name	% E	EHS	(lbs) (gallons)	(lbs) (gallons)
Vinvl acetate	<0.01	ves	1000 129	5000 644.8

SARA 311/312

Classification Not applicable.

Composition/information on ingredients

State regulations

MassachusettsNone of the components are listed.New YorkNone of the components are listed.New JerseyNone of the components are listed.PennsylvaniaNone of the components are listed.

International regulations Australia inventory (AICS): All components are listed or exempted.

China inventory (IECSC): Not determined.

Japan inventory: Not determined.

Korea inventory: All components are listed or exempted. Malaysia Inventory (EHS Register): Not determined.

New Zealand Inventory of Chemicals (NZIoC): All components are listed or exempted.

Philippines inventory (PICCS): All components are listed or exempted.

Taiwan inventory (CŚNN): Not determined

Canada inventory All components are listed or exempted.

EU Inventory At least one component is not listed in EINECS but all such components are listed in

ELINCS.


Please contact your supplier for information on the inventory status of this material.

WHMIS (Canada) Not controlled under WHMIS (Canada).

SECTION 16

OTHER INFORMATION

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

History

Date of issue/Date of 06/01/2015

Revision

Key to abbreviations: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MÄRPOL 73/78 = International Convention for the Prevention of Pollution From Ships,

1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

THE INFORMATION IN THIS SAFETY DATA SHEET (SDS) WAS OBTAINED FROM SOURCES WHICH WE BELIEVE ARE RELIABLE. HOWEVER, THE INFORMATION IS PROVIDED WITHOUT ANY WARRANTY, EXPRESSED OR IMPLIED REGARDING ITS CORRECTNESS OR ACCURACY. SOME INFORMATION PRESENTED AND CONCLUSIONS DRAWN HEREIN ARE FROM SOURCES OTHER THAN DIRECT TEST DATA ON THE SUBSTANCE ITSELF. THIS SDS WAS PREPARED AND IS TO BE USED ONLY FOR THIS PRODUCT. IF THE PRODUCT IS USED AS A COMPONENT IN ANOTHER PRODUCT, THIS SDS INFORMATION MAY NOT BE APPLICABLE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION OR PRODUCTS FOR THEIR PARTICULAR PURPOSE OR APPLICATION.

THE CONDITIONS OR METHODS OF HANDLING, STORAGE, USE, AND/OR DISPOSAL OF THE PRODUCT ARE BEYOND OUR CONTROL AND MAY BE BEYOND OUR KNOWLEDGE. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR ANY LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH HANDLING, STORAGE, USE OR DISPOSAL OF THE PRODUCT.