# Safety Data Sheet

SDS Number: 20046 Issue Date: 06/01/15 Reviewed: 06/01/15

**SECTION 1** PRODUCT IDENTIFICATION

**GHS** product Identifier: Pride Plus Advantage AW46 Hydraulic Non-Dyed

Hydraulic Oil Synonyms:

SUPPLIER/ ADDRESS: **Hutchens Petroleum Corporation** 

> 22 Performance Drive Stuart, VA 24171

CHEMTREC -(800) 424-9300 **General Assistance Number:** (914) 381 5800

**SECTION 2** HAZARDS IDENTIFICATION

OSHA/HCS status: While this material is not considered hazardous by the OSHA Hazard Communication

Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available

for employees and other users of this product.

Classification of the

substance or mixture:

Not classified.

**GHS label elements** 

Signal Word: No signal word.

Hazard statements: No known significant effects or critical hazards.

**Precautionary statements** 

General: Avoid contact with eyes, skin and clothing. May be harmful if swallowed. IF IN EYES:

> Rinse cautiously with water for several minutes. If swallowed, do not induce vomiting. After handling, always wash hands thoroughly with soap and water. If you feel unwell, seek medical attention and show the label when possible. Keep out of reach of children.

Prevention: Not applicable. Response: Not applicable.

Storage: Store in a dry place and/or in closed container. Store in accordance with all local,

regional, national and international regulations.

Disposal: Dispose of contents and container in accordance with all local, regional, national and

international regulations.

Hazards not otherwise

Classified

None known

## **SECTION 3**

## Composition/Information on Ingredients

Components	CAS Number	Amount
Highly refined mineral oil	Mixture	95 – 99 %weight

Petroleum Additives Mixture 0.50-1.0 %weight

Any concentration shown as a range is to protect confidentiality or is due to process variation.

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations

applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

# SECTION 4 FIRST AID MEASURES

## Description of necessary first aid measures

Eye contact: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower

evelids. Check for and remove any contact lenses. Get medical attention if irritation

occurs.

Flush contaminated skin with plenty of water. Remove contaminated clothing and

shoes. Get medical attention if symptoms occur.

**Inhalation:** Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get

medical attention if symptoms occur

**Skin contact:** Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes.

Get medical attention if symptoms occur.

**Ingestion:** Wash out mouth with water. Remove victim to fresh air and keep at rest in a position

comfortable for breathing. Do not induce vomiting unless directed to do so by medical

personnel. Get medical attention if symptoms occur.

#### Most important symptoms/effects, acute

#### Potential acute health effects

Inhalation: No known significant effects or critical hazards.

Ingestion: No known significant effects or critical hazards.

Skin contact: No known significant effects or critical hazards.

Eye contact: No known significant effects or critical hazards.

## Over-exposure signs/symptoms

Inhalation:
Ingestion:
Skin contact:
Eye contact:
No specific data
No specific data
No specific data
No specific data

# Indication of immediate medical attention and special treatment needed. if necessary

Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large

quantities have been ingested or inhaled.

**Specific treatments :** Treat symptomatically and supportively.

Protection of first-aiders: No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 13)

# SECTION 5 FIRE FIGHTING MEASURES

Specific hazards arising: from the chemical

In a fire or if heated, a pressure increase will occur and the container may burst.

**Extinguishing media** 

Suitable extinguishing Unsuitable extinguishing Use an extinguishing agent suitable for the surrounding fire

nsuitable extinguishing None known

media

## SECTION 5 FIRE FIGHTING MEASURES

Hazardous thermal decomposition products

Decomposition products may include the following materials:

carbon dioxide carbon monoxide sulfur oxides phosphorus oxides metal oxide/oxides

Special protective actions:

for fire-fighters

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable

training.

Special protective equipment for fire-fighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing

apparatus (SCBA) with a full face-piece operated in positive pressure mode

# SECTION 6 ACCIDENTAL RELEASE MEASURES

## Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal

protective equipment

For emergency responders: If specialized clothing is required to deal with the spillage, take note of any

in Section 8 on suitable and unsuitable materials. See also the information in "For

non-emergency personnel".

Environmental precautions: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains

and sewers. Inform the relevant authorities if the product has caused environmental

pollution (sewers, waterways, soil or air).

## Methods and materials for containment and cleaning up:

Small spill: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up

if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste

disposal contractor.

Large spill: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers,

water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a

licensed waste disposal contractor. Note: see Section 1 for emergency contact

information and Section 13 for waste disposal

## SECTION 7 HANDLING AND STORAGE

Precautions for safe handling:

Protective measures Advice on general occupational hygiene Put on appropriate personal protective equipment (see Section 8).

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene

measures.

Conditions for safe storage,

including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate

**SECTION 7** HANDLING AND STORAGE

> Bulk Storage Conditions: Maintain all storage tanks in accordance with applicable regulations. Use necessary controls to monitor tank inventories. Inspect all storage tanks on a periodic basis. Test tanks and associated piping for tightness. Maintain the automatic leak detection devices to assure proper working condition.

**SECTION 8** 

# **EXPOSURE CONTROLS/PERSONAL PROTECTION**

Control parameters

Occupational exposure limits

None identified.

Appropriate engineering:

**Controls** 

**Environmental exposure** 

controls:

Good general ventilation should be sufficient to control worker exposure to airborne

contaminants.

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, vapor controls, filters or engineering modifications to the process equipment will

be necessary to reduce emissions to acceptable levels.

**Individual protection measures** 

Hygiene measures Wash hands, forearms and face thoroughly after handling chemical products, before

> eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing.

Wash contaminated clothing before reusing. Ensure that eyewash stations and safety

showers are close to the workstation location.

Eye/face protection Safety glasses equipped with side shields are recommended as minimum protection in

industrial settings. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: Splash goggles. Safety

eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts.

If inhalation hazards exist, a full-face respirator may be required.

Skin protection

Hand protection: Chemical-resistant gloves complying with an approved standard should be worn at all

times when handling chemical products if a risk assessment indicates this is necessary

Personal protective equipment for the body should be selected based on the task being **Body protection:** 

performed and the risks involved and should be approved by a specialist before

handling this product.

Other skin protection: Appropriate footwear and any additional skin protection measures should be selected

based on the task being performed and the risks involved and should be approved by a

specialist before handling this product.

Respiratory protection: Use a properly fitted, air-purifying or supplied-air respirator complying with an approved

standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe

working limits of the selected respirator.

**SECTION 9** PHYSICAL AND CHEMICAL PROPERTIES

**Physical State** Liquid Color Amber

200 Deg C, 392 Deg F (min) **Flash Point** 

**Upper Flammable Limit** Not determined. Lower Flammable Limit Not determined. Vapor density >1 { Air = 1}. **Specific Gravity** 0.86 (15.6 Deg C)

Water Solubility Insoluble. Odor Mild

**Viscosity** Kinematic (100C) 6.0 cSt -7.0 cSt **Boiling Point** 289 Deg C, 552 Deg F (Initial)

**Pour Point Temperature** <-38C SECTION 10 REACTIVITY AND STABILITY

**Reactivity** Not expected to be Explosive, Self-Reactive, Self-Heating, or an Organic Peroxide

under US GHS Definition(s).

**Chemical stability** The product is stable.

Possibility of hazardous 
Under normal conditions of storage and use, hazardous reactions will not occur

reactions:.

Conditions to avoid No specific data . No specific data .

Hazardous decomposition Under normal conditions of storage and use, hazardous decomposition products should

**Products** not be produced.

## SECTION 11 TOXICOLOGICAL INFORMATION

## Information on toxicological effects

**Acute toxicity** 

Conclusion/Summary Distillates (petroleum), hydrotreated heavy paraffinic: Mineral oil mists derived from

highly refined oils are reported to have low acute and sub-acute toxicities in animals. Effects from single and short-term repeated exposures to high concentrations of mineral oil mists well above applicable workplace exposure levels include lung inflammatory reaction, lipoid granuloma formation and lipoid pneumonia. In acute and sub-acute studies involving exposures to lower concentrations of mineral oil mists at or near current work place exposure levels produced no significant toxicological effects.

Distillates (petroleum), solvent-dewaxed heavy paraffinic: Mineral oil mists derived from highly refined oils are reported to have low acute and sub-acute toxicities in animals. Effects from single and short-term repeated exposures to high concentrations of mineral oil mists well above applicable workplace exposure levels include lung inflammatory reaction, lipoid granuloma formation and lipoid pneumonia. In acute and sub-acute studies involving exposures to lower concentrations of mineral oil mists at or

near current work place exposure levels produced no significant toxicological effects.

Irritation/Corrosion

SkinNo additional informationEyesNo additional informationRespiratoryNo additional information

**Sensitization** 

SkinNo additional informationRespiratoryNo additional information

**Mutagenicity** 

Conclusion/Summary No additional information

Carcinogenicity

Conclusion/Summary No additional information

**Teratogenicity** 

Conclusion/Summary No additional information

**Information on the likely** Routes of entry anticipated: Dermal.

routes of exposure

Potential acute health effects

Eye contactNo known significant effects or critical hazardsInhalationNo known significant effects or critical hazards.IngestionNo known significant effects or critical hazards.Skin contactNo known significant effects or critical hazards.

#### Symptoms related to the physical, chemical and toxicological characteristics

Eye contactNo known significant effects or critical hazards.InhalationNo known significant effects or critical hazards.IngestionNo known significant effects or critical hazards.Skin contactNo known significant effects or critical hazards

# Potential chronic health effects

GeneralNo known significant effects or critical hazards.CarcinogenicityNo known significant effects or critical hazards.MutagenicityNo known significant effects or critical hazards.TeratogenicityNo known significant effects or critical hazards.

**Developmental effects** No known significant effects or critical hazards. **Fertility effects** No known significant effects or critical hazards.

SECTION 12 ECOLOGICAL INFORMATION

Toxicity

Conclusion/Summary Not available

Persistence and degradability

Conclusion/Summary Not available.

**Bioaccumulative** 

Potential Not available

Mobility in soil Soil/water partition coefficient (KOC)

Not available

**Other adverse effects** No known significant effects or critical hazards.

# SECTION 13 DISPOSAL CONSIDERATIONS

## Disposal methods

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14	TRANSPORT INFORMATION						
	DOT Classification	IMDG	IATA				
UN number	not regulated	not regulated	not regulated				
UN proper	_	_	_				
shipping name							
transport							
Hazard class							
<b>Environmental</b>							
<u>Hazards</u>							

**Special precautions for user: Transport within user's premises:** always transport in closed containers that are

upright and secure. Ensure that persons transporting the product know what to do in the

event of accident or spillage.

Transport in bulk according to Annex II of MARPOL

73/78 and the IBC Code:

Not available.

SECTION 15

### REGULATORY INFORMATION

U.S. Federal regulations

United States inventory (TSCA 8b): All components are listed or exempted. Clean Water Act (CWA) 307: zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl) bis

(phosphorodithioate); Zinc alkyl dithiophosphate Clean Water Act (CWA) 311: vinyl acetate

This material is classified as an oil under Section 311 of the Clean Water Act (CWA) and the Oil Pollution Act of 1990 (OPA). Discharges or spills which produce a visible sheen on waters of the United States, their adjoining shorelines, or into conduits leading to surface waters must be reported to the EPA's National Response Center at (800) 424-8802.

CADA 202 TDO

#### Composition/information on ingredients

Name		SANA JUZ	IFW	SANA 304 NQ	
	% EHS	(lbs)	(gallons)	(lbs) (gallons)	
Vinyl acetate	<0.01 yes	1000	129	5000 644.8	

SADA 204 DO

SARA 311/312

Classification Not applicable.

## Composition/information on ingredients

State regulations

MassachusettsNone of the components are listed.New YorkNone of the components are listed.New JerseyNone of the components are listed.PennsylvaniaNone of the components are listed.

International regulations Australia inventory (AICS): All components are listed or exempted.

China inventory (IECSC): Not determined.

Japan inventory: Not determined.

**Korea inventory**: All components are listed or exempted. **Malaysia Inventory (EHS Register)**: Not determined.

New Zealand Inventory of Chemicals (NZIoC): All components are listed or exempted.

Philippines inventory (PICCS): All components are listed or exempted.

**Taiwan inventory (CSNN)**: Not determined All components are listed or exempted.

Canada inventory

All components are listed or exempted.

At least one component is not listed in EINECS but all such components are listed in

ELINCS.


Please contact your supplier for information on the inventory status of this material.

WHMIS (Canada) Not controlled under WHMIS (Canada).

## **SECTION 16**

#### OTHER INFORMATION

#### National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

**History** 

Date of issue/Date of 06/01/2015

Revision

**Key to abbreviations:** ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships,

1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

THE INFORMATION IN THIS SAFETY DATA SHEET (SDS) WAS OBTAINED FROM SOURCES WHICH WE BELIEVE ARE RELIABLE. HOWEVER, THE INFORMATION IS PROVIDED WITHOUT ANY WARRANTY, EXPRESSED OR IMPLIED REGARDING ITS CORRECTNESS OR ACCURACY. SOME INFORMATION PRESENTED AND CONCLUSIONS DRAWN HEREIN ARE FROM SOURCES OTHER THAN DIRECT TEST DATA ON THE SUBSTANCE ITSELF. THIS SDS WAS PREPARED AND IS TO BE USED ONLY FOR THIS PRODUCT. IF THE PRODUCT IS USED AS A COMPONENT IN ANOTHER PRODUCT, THIS SDS INFORMATION MAY NOT BE APPLICABLE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION OR PRODUCTS FOR THEIR PARTICULAR PURPOSE OR APPLICATION.

THE CONDITIONS OR METHODS OF HANDLING, STORAGE, USE, AND/OR DISPOSAL OF THE PRODUCT ARE BEYOND OUR CONTROL AND MAY BE BEYOND OUR KNOWLEDGE. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR ANY LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH HANDLING, STORAGE, USE OR DISPOSAL OF THE PRODUCT.